

Navigation

Home

What is AVDC?

Information for Pet Owners

AVDC Position Statements

Pain and Dental Disease in Dogs and Cats

Anesthesia for Dental Patients

Periodontal Disease

Dental Cleaning for your Pet

Home Care for Cats

Home Care for Dogs

Dental Scaling Without Anesthesia

Crowns in Veterinary Patients

Dental Radiographs (X-rays) in Veterinary Patients

Endodontic Disease and Root Canal Treatment

Feline Dental Disease

Malocclusions and Orthodontics in Dogs and Cats

Dental Treatment of an Aggressive Dog or Cat

Oral Tumors in Pets

Tooth Resorption in Dogs and Cats

Information for Veterinarians

Information for Other Health Professionals

Board of Directors

Position Statements

Nomenclature

VOHC

AVDC NEWS

Contact AVDC

Home » Information for Pet Owners

Dental Scaling Without Anesthesia

In the United States and Canada, only licensed veterinarians can practice veterinary medicine. Veterinary medicine includes veterinary surgery, medicine and dentistry. Anyone providing dental services other than a licensed veterinarian, or a supervised and trained veterinary technician, is practicing veterinary medicine without a license and is subject to criminal charges.

This page addresses dental scaling procedures performed on pets without anesthesia, often by individuals untrained in veterinary dental techniques. Although the term Anesthesia-Free Dentistry has been used in this context, AVDC prefers to use the more accurate term Non-Professional Dental Scaling (NPDS) to describe this combination.

Owners of pets naturally are concerned when <u>anesthesia</u> is required for their pet. However, performing NPDS on an unanesthetized pet is inappropriate for the following reasons:

- 1. Dental tartar is firmly adhered to the surface of the teeth. Scaling to remove tartar is accomplished using ultrasonic and sonic power scalers, plus hand instruments that must have a sharp working edge to be used effectively. Even slight head movement by the patient could result in injury to the oral tissues of the patient, and the operator may be bitten when the patient reacts.
- 2. Professional dental scaling includes scaling the surfaces of the teeth both above and below the gingival margin (gum line), followed by dental polishing. The most critical part of a dental scaling procedure is scaling the tooth surfaces that are within the gingival pocket (the subgingival space between the gum and the root), where periodontal disease is active. Because the patient cooperates, dental scaling of human teeth performed by a professional trained in the procedures can be completed successfully without anesthesia. However, access to the subgingival area of every tooth is impossible in an unanesthetized canine or feline patient. Removal of dental tartar on the visible surfaces of the teeth has little effect on a pet's health, and provides a false sense of accomplishment. The effect is purely cosmetic.
- 3. Inhalation anesthesia using a cuffed endotracheal tube provides three important advantages... the cooperation of the patient with a procedure it does not understand, elimination of pain resulting from examination and treatment of affected dental tissues during the procedure, and protection of the airway and lungs from accidental aspiration.
- 4. A complete oral examination, which is an important part of a professional dental scaling procedure, is not possible in an unanesthetized patient. The surfaces of the teeth facing the tongue cannot be examined, and areas of disease and discomfort are likely to be missed.

Safe use of an anesthetic or sedative in a dog or cat requires evaluation of the general health and size of the patient to determine the appropriate drug and dose, and continual monitoring of the patient.

Veterinarians are trained in all of these procedures. Prescribing or administering anesthetic or sedative drugs by a non-veterinarian can be very dangerous, and is illegal. Although <u>anesthesia</u> will never be 100% risk-free, modern anesthetic and patient evaluation techniques used in veterinary hospitals minimize the risks, and millions of dental scaling procedures are safely performed each year in veterinary hospitals.

To minimize the need for professional dental scaling procedures and to maintain optimal oral health, AVDC recommends daily dental home care from an early age in dogs and cats. This should include brushing or use of other effective techniques to retard accumulation of dental plaque, such as dental diets and chew materials. This, combined with periodic examination of the patient by a veterinarian and with dental scaling under anesthesia when indicated, will optimize life-long oral health for dogs and cats. For information on effective oral hygiene products for dogs and cats, visit the Veterinary Oral Health Council web site (www.VOHC.org).

For general information on performance of dental procedures on veterinary patients, read the AVDC Position Statement on <u>Veterinary Dental Healthcare Providers</u>.